

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

SUPPLIERS NAME	CARD NO.	CERTIFICATE NO.	MINISTRY OF WORKS MIXES	MIX REFERENCE	QUALITY ASSURANCE	STATUS CODE
Ali Al- Shaab Group Al Manaratain - Aker	3370	191	45/20/SRC ¹⁾	MAYS45	ISO 9001:2015	1
		192	35/20/OPC ²⁾	MAY035		1
		506	30/10/OPC	30 OPCSC PWA		2a
		507	20/20/SRC	20 N SRC PWA		1
		646	45/20/OPC	45 N OPC PWA		2a
E. M. Al-Kobaisi Ready Mix - Hidd	3365	111	35/20/OPC	35201	ISO 9001:2015	1
		185	45/20/SRC	45205		1
		372	45/20/OPC	KB/45/OPC		1
		513	50/20/OPC	KB/50/OPC		2a
		565	20/20SRC	KB/20/SRC		1
		622	55/20/OPC	55201		1
		623	55/20/SRC	55205		1
		655	25/20/SRC	25205		1
		657	60/20/SRC	60205		1
		658	60/20/OPC	60201		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Awal Ready Mix Concrete - Maamer	3354	485	20/20/SRC	5K20SLG	ISO 9001:2015	2a
		486	45/20/SRC	5K45SLG		2a
		488	35/20/OPC	5K35FLG		2a
		489	45/20/OPC	5K45FLG		2a
		700	35/20/OPC	5K35FLG1		2a
		701	45/20/OPC	5K45FLG1		2a
		702	45/20/SRC	5K45SLG1		2a
		703	20/20/SRC	5K20SLG1		2a
		732	35/20/SRC	5K35SLG1		2a
		741	40/20/OPC+PFA	5K40PLG1		1
Delmon Ready Mixed Concrete - Salmabad	3382	495	20/20/SRC	ESU41ASJ41	ISO 9001:2015 & BS OHSAS 18001:2007	1
		496	35/20/OPC	HPU51ALA51		1
		497	C75/10 OPC+MS	VPU65MRO69		1
		498	35/20/OPC	HPU55AG355		1
		499	45/20/SRC	JSU61AGB61		1
		500	45/20/OPC	JPU61AG361		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Delmon Ready Mixed Concrete - Salmabad	3382	501	45/20/OPC+PFA	JAU61AG361	ISO 9001:2015 & BS OHSAS 18001:2007	1
		502	20/10/OPC	EPU43BLI43		1
		503	50/20/OPC+PFA+MS	KTU61AMD		2a
		504	40/20/OPC+PFA+MS, Piling	ITU61AM7		2a
		505	40/20/OPC+PFA+MS	ITU61AMD		2a
		679	50/20/OPC+PFA+MS	KT61AMD65		2a
		695	40/20/OPC+PFA	IA57AG457		1
		696	40/20/OPC+PFA	IB57AG4257		1
		697	45/10/OPC	JP61AG461		1
		724	C50/20/OPC+PFA+MS	KT61AM73861		1
		725	C40/20/OPC+PFA+MS	IT61AM73861		1
		727	C35/20/OPC+PFA+MS GROUT	HT65IM965		1
		733	35/20/SRC	HS51AG451		1
		736	C70/20 OPC+PFA+MS	OT65AM73871		1
		737	C20/10 SRC	FS41BG6541		1
738	C50/20 OPC+PFA+MS-SCC	KT65AM975	1			

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Delmon Ready Mixed Concrete - Salmabad	3382	745	C50/20/OPC+PF A+MS	KTB61AM3861	ISO 9001:2015 & BS OHSAS 18001:2007	1
		746	C40/20/OPC+PF A+MS	ITB61AM3861		1
Delmon Ready Mixed Concrete - Hidd	3381	495	20/20/SRC	ESU41ASJ41	ISO 9001:2015 & BS OHSAS 18001:2007	1
		496	35/20/OPC	HPU51ALA51		1
		497	C75/10 OPC+MS	VPU65MRO69		1
		498	35/20/OPC	HPU55AG355		1
		499	45/20/SRC	JSU61AGB61		1
		500	45/20/OPC	JPU61AG361		1
		501	45/20/OPC+PFA	JAU61AG361		1
		502	20/10/OPC	EPU43BLI43		1
		503	50/20/OPC+PFA +MS	KTU61AMD		2a
		504	40/20/OPC+PFA +MS, Piling	ITU61AM7		2a
		505	40/20/OPC+PFA +MS	ITU61AMD		2a
		679	50/20/OPC+ PFA+MS	KT61AMD65		2a
		695	40/20/OPC+PFA	IA57AG457		1
		696	40/20/OPC+PFA	IB57AG4257		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Delmon Ready Mixed Concrete - Hidd	3381	697	45/10/OPC	JP61AG461	ISO 9001:2015 & BS OHSAS 18001:2007	1
		724	C50/20/OPC+PFA+MS	KT61AM73861		1
		725	C40/20/OPC+PFA+MS	IT61AM73861		1
		727	C35/20/OPC+PFA+MS GROUT	HT65IM965		1
		733	35/20/SRC	HS51AG451		1
		736	C70/20 OPC+PFA+MS	OT65AM73871		1
		737	C20/10 SRC	FS41BG6541		1
		738	C50/20 OPC+PFA+MS-SCC	KT65AM975		1
		745	C50/20/OPC+PFA+MS	KTB61AM3861		1
		746	C40/20/OPC+PFA+MS	ITB61AM3861		1
Eastern Asphalt & Mixed Concrete Co. - West Aker	3356	588	50/20/SRC+MS	ERM50SRCMS 400-1	DIN EN ISO 9001:2015; DIN EN ISO 14001:2015; & ISO 45001:2018	1
		589	60/20/OPC+PFA+MS	ERM40/50-OPCFAMS420-1		1
		590	45/20/OPC	ERM45OPC38 0-1		1
		591	50/20/OPC+PFA+MS	ERM40/50OPC FAMS400-1		1
		592	50/20/OPC+PFA	ERM50-OPCFA400-1		1
		593	50/10/OPC+MS	ERM50-OPCMS420-1-Scr		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Eastern Asphalt & Mixed Concrete Co. - West Aker	3356	594	40/20/OPC+MS	ERM40OPCMS 360-1	DIN EN ISO 9001:2015; DIN EN ISO 14001:2015; & ISO 45001:2018	1
		595	40/20/OPC+PFA	ERM40OPCFA 360-1		1
		596	45/20/OPC+PFA	ERM45OPCFA 380-1		1
		597	35/20/OPC	ERM35OPC35 0-1		1
		598	35/20/OPC+PFA	ERM35OPCFA 350-1		1
		601	20/10/OPC	ERM20OPC29 0-1Scr		1
		602	30/20/OPC+PFA	ERM30OPCFA 330-1		1
		603	25/20OPC+PFA	ERM25OPCFA 310-1		1
		604	20/20/OPC+PFA	ERM20OPCFA 280-1		1
		605	35/20/SRC	ERM35SRC33 0-1		1
		606	25/20/SRC	ERM25SRC31 0-1		1
		607	20/20/SRC	ERM20SRC28 0-1		1
		609	45/20/SRC	ERM45SRC38 0-1		1
		610	35/20/OPC	ERM35OP330- 1		1
		632	C45/20/SRC	ERM45SRCUT 380		1
		634	C35/20/OPC	ERM35OPCUT 350		1
635	C45/20/OPC	ERM45OPCUT 380	1			

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Eastern Asphalt & Mixed Concrete Co. - West Aker	3356	636	C20/10/OPC	ERM20OPCUT 290Scr	DIN EN ISO 9001:2015; DIN EN ISO 14001:2015; & ISO 45001:2018	1
		637	C50/20/OPC+ PFA+MS	ERM50OPC(T)/ UT400		1
		638	C60/20/OPC+ PFA+MS	ERM60OPC(T)/ UT420		1
		639	C45/20/OPC+ PFA	ERM45OPC(D) /UT380		1
		647	C 6.0/OPC LWC - Politerm	ERM6LWC		1
		648	C 8.0/OPC LWC - Politerm	ERM8LWC		1
		649	C45/20/SRC	ERM45SRC400		1
		651	C20/10/OPC- RCA	ERM20OPC290 RCA-Scr		1
		652	C20/20/SRC- RCA	ERM20SRC280 RCA		1
		653	C25/20/SRC- RCA	ERM25SRC310 RCA		1
		719	50/20 OPC+PFA+MS	ERM50OPCPF AMS		1
		720	50/20 SRC+PFA+MS	ERM50SRCPF AMS		1
		723	50/20 OPC+PFA+MS - SCC	ERM50OPCPF AMS-SCC		1
		740	C35/10 OPC Screed	ERM35OPC36 0-SCREED		1
Eastern Asphalt & Mixed Concrete Co. - Hidd	3357	588	50/20 SRC+MS	ERM50SRCMS 400-1	DIN EN ISO 9001:2015; DIN EN ISO 14001:2015; & ISO	1
		589	60/20 OPC+PFA+MS	ERM40/50- OPCFAMS420-1		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Eastern Asphalt & Mixed Concrete Co. - Hidd	3357	590	45/20/OPC	ERM45OPC38 0-1	DIN EN ISO 9001:2015; DIN EN ISO 14001:2015; & ISO 45001:2018	1
		591	50/20/OPC+PFA +MS	ERM40/50OPC FAMS400-1		1
		592	50/20/OPC+PFA	ERM50- OPCFA400-1		1
		593	50/10/OPC+MS	ERM50- OPCMS420-1-Scr		1
		594	40/20/OPC+MS	ERM40OPCMS 360-1		1
		595	40/20/OPC+PFA	ERM40OPCFA 360-1		1
		596	45/20/OPC+PFA	ERM45OPCFA 380-1		1
		597	35/20/OPC	ERM35OPC35 0-1		1
		598	35/20/OPC+PFA	ERM35OPCFA 350-1		1
		601	20/10/OPC	ERM20OPC29 0-1Scr		1
		602	30/20/OPC+PFA	ERM30OPCFA 330-1		1
		603	25/20OPC+PFA	ERM25OPCFA 310-1		1
		604	20/20/OPC+PFA	ERM20OPCFA 280-1		1
		605	35/20/SRC	ERM35SRC33 0-1		1
606	25/20/SRC	ERM25SRC31 0-1	1			



MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Eastern Asphalt & Mixed Concrete Co. - Hidd	3357	607	20/20/SRC	ERM20SRC28 0-1	DIN EN ISO 9001:2015; DIN EN ISO 14001:2015; & ISO 45001:2018	1
		609	45/20/SRC	ERM45SRC38 0-1		1
		610	35/20/OPC	ERM35OP330- 1		1
		632	C45/20/SRC	ERM45SRCUT 380		1
		634	C35/20/OPC	ERM35OPCUT 350		1
		635	C45/20/OPC	ERM45OPCUT 380		1
		636	C20/10/OPC	ERM20OPCUT 290Scr		1
		637	C50/20/OPC+ PFA+MS	ERM50OPC(T)/ UT400		1
		638	C60/20/OPC+ PFA+MS	ERM60OPC(T)/ UT420		1
		639	C45/20/OPC+ PFA	ERM45OPC(D) /UT380		1
		649	C45/20/SRC	ERM45SRC400		1
		719	50/20 OPC+PFA+MS	ERM50OPCPF AMS		1
		720	50/20 SRC+PFA+MS	ERM50SRCPF AMS		1
		723	50/20 OPC+PFA+MS - SCC	ERM50OPCPF AMS-SCC		1
740	C35/10 OPC Screed	ERM35OPC36 0-SCREED	1			

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Haji Hassan Ready Mix - Salmabad	3373	543	C35/20/OPC	35B3550PA2D0	ISO 9001:2015; ISO 45001:2018	1
		544	20/20/SRC	20B2660PN2D0		1
		545	45/20/SRC	45B4040TN6D0		1
		546	40/20/SRC	45B3840PN2D0		1
		547	45/20/OPC	45B4040PA4D0		1
		548	20/10/OPC	25A2965PA4D0		1
		552	50/20/OPC+PFA	50B4335PG4D0		1
		554	45/20/OPC+PFA	45B4038PG4D0		1
		708	C50/20/OPC+ PFA(40%)	50B4033PG7J0		1
		721	50/20 OPC+PFA+MS	50B4038PE5D0		1
		729	50/20/OPC+ PFA+MS	50B3838PE6J0		1
		734	20/20/SRC+PFA	20B2865TT6B0		1
Haji Hassan Ready Mix – Alba	3374	543	35/20/OPC	35B3550PA2D0	ISO 9001:2015; ISO 45001:2018	1
		544	20/20/SRC	20B2660PN2D0		1
		545	45/20/SRC	45B4040TN6D0		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Haji Hassan Ready Mix – Alba	3374	546	40/20/SRC	45B3840PN2D0	ISO 9001:2015; ISO 45001:2018	1
		547	45/20/OPC	45B4040PA4D0		1
		548	20/10/OPC	25A2965PA4D0		1
		552	50/20/OPC+PFA	50B4335PG4D0		1
		554	45/20/OPC+PFA	45B4038PG4D0		1
		708	C50/20/OPC+ PFA(40%)	50B4033PG7J0		1
		721	50/20 OPC+PFA+MS	50B4038PE5D0		1
		729	50/20/OPC+ PFA+MS	50B3838PE6J0		1
		734	20/20/SRC+PFA	20B2865TT6B0		1
The National Concrete Company – Salmabad	3375	345	45/20/OPC	TMA45OPA	ISO 9001:2015	1
		346	45/20/SRC	TMB45SRA		1
		409	20/20/SRC	TMD20SRA		1
		454	45/20 OPC+PFA	TMF45OPBIS		1
		455	35/10/OPC	35/10/UOPC		1
		471	50/20 OPC+MS+PFA	50EZ6OP		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

The National Concrete Company – Salmabad	3375	478	45/20 OPC+PFA	38OPF	ISO 9001:2015	1
		479	35/20/OPC	35OPA		1
		541	20/10/OPC	2910U		1
		542	60/20/OPC+PF A+MS	60EZOP		1
		558	40/20/OPC+PF A+MS	40EZOP		1
		629	50/20/OPC+PFA	44OPF		1
		678	55/20/OPC+PFA +MS	55EZ6OP		1
		683	50/20/OPC+PFA +MS	5021TP40		1
		684	45/20/OPC+PFA +MS	4521TP39		1
		685	55/20/OPC+PFA +MS	5521TP42		1
		686	60/20/OPC+PFA +MS	6021TP44		1
		690	45/20/SRC- Piling	4522PL40		1
		691	25/20/SRC	2512SD31		1
		698	50/20/OPC+PFA	43OPF		1
		704	C50/20/OPC+ PFA(40%)	46OPF		1
705	C50/20/OPC+ PFA(35%)	45OPF	2a			
706	C50/20/OPC+ PFA(40%)	47OPF	2a			

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

The National Concrete Company – Salmabad	3375	711	C55/20/OPC+ PFA	55OPF	ISO 9001:2015	1
		716	C45/20 SRC	45KSRC		2a
		717	C20/20 SRC	20KSRC		2a
		718	C35/20 OPC	35KOPC		2a
		731	20/20/OPC+ PFA, Piling	20L		1
		739	C40 OPC+PFA+MS , GROUT	63H		1
		742	10 N/mm ² – Mortar Mix	63 G		1
		748	45/20/SRC +MS	38TMBMS		1
The National Concrete Company - HIDD	3376	345	45/20/OPC	TMA45OPA	ISO 9001:2015	1
		346	45/20/SRC	TMB45SRA		1
		409	20/20/SRC	TMD20SRA		1
		454	45/20/OPC+PFA	TMF45OPBIS		1
		455	35/10/OPC	35/10/UOPC		1
		471	50/20 OPC+MS+PFA	50EZ6OP		1
		478	45/20/OPC+PFA	38OPF		1
		479	35/20/OPC	35OPA		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

The National Concrete Company - HIDD	3376	541	20/10/OPC	2910U	ISO 9001:2015	1
		542	60/20/OPC+PFA +MS	60EZOP		1
		558	40/20/OPC+PFA +MS	40EZOP		1
		629	50/20/OPC+PFA	44OPF		1
		678	55/20/OPC+PFA +MS	55EZ6OP		1
		683	50/20/OPC+PFA +MS	5021TP40		1
		684	45/20/OPC+PFA +MS	4521TP39		1
		685	55/20/OPC+PFA +MS	5521TP42		1
		686	60/20/OPC+PFA +MS	6021TP44		1
		690	45/20/SRC- Piling	4522PL40		1
		691	25/20SRC	2512SD31		1
		698	50/20/OPC+PFA	43OPF		1
		704	C50/20/OPC+ PFA(40%)	46OPF		1
		705	C50/20/OPC+ PFA(35%)	45OPF		2a
		706	C50/20/OPC+ PFA(40%)	47OPF		2a
		711	C55/20/OPC+ PFA	55OPF		1
		716	C45/20 SRC	45KSRC		2a
		717	C20/20 SRC	20KSRC		2a

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

The National Concrete Company - HIDD	3376	718	C35/20 OPC	35KOPC	ISO 9001:2015	2a
		731	20/20/OPC+ PFA, Piling	20L		1
		739	C40 OPC+PFA+MS GROUT	63H		1
		742	10 N/mm ² – Mortar Mix	63 G		1
		748	45/20/SRC +MS	38TMBMS		1
Gulf Ready Mix - Aker	3378	385	35/20/OPC	GRC 35F	ISO 9001:2015	2b
		404	45/20/SRC	GRC 45F		2b
		438	45/20/OPC	GRC 45 FO		2b
		439	20/20/SRC	GRC 20F		2b
Kingdom Ready Mix – Hidd	3359	262	45/20/SRC	K45SSU	ISO 9001:2015, ISO 14001:2015, & OHSAS 18001:2007	1
		263	35/20/OPC	K35OSU		1
		297	45/20/OPC	KG/45		1
		386	20/20/SRC	KG/20/SRC		1
		390	40/20/OPC	KG/40/20/OPC		1
		393	45/20/SRC	KG/45/20/SRC- Piling		1
		394	50/20/SRC	KG/50/20/SRC		1

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Kingdom Ready Mix – Hidd	3359	395	50/20/OPC	KG/50/20/OPC	ISO 9001:2015, ISO 14001:2015, & OHSAS 18001:2007	1
		431	45/20 OPC+PFA	KG/45/OPC + Fly ASH		1
		448	25/10 OPC	KG/25/OPC- Screed		1
		483	50/20/OPC+PFA +MS	KG/50-OPC+FLY ASH+MS		1
		484	60/20/OPC+PFA +MS	KG/60-OPC+FLY ASH+MS		1
		491	50/20 SRC+MS	KG/50— SRC+MS		1
		492	25/20 SRC	KG/25/SRC		1
		612	60/20/OPC	KG/60/OPC		1
		621	60/20/OPC+PFA +MS	KG/60- OPC+PFA+MS		1
		713	75/20/OPC+PFA	KG/75/OPC+PFA		1
		735	60/20/SRC	KG/60/20/SRC		1
		747	C60/20/OPC +PFA	KG/60/20/OPC+ PFA		1
		751	C55/20 OPC	KG/55/20/OPC		1
Universal Readymix Concrete - Sanad	3369	325	35/20/OPC	M35O20-M	ISO 9001:2015	2b
		326	45/20/SRC	45 S 20-M		2b
		538	45/20/OPC	45 O 20		2b
		561	20/10/OPC	20 O Screed		2b
		654	45/20/SRC+PFA +MS	45/20/SRFAMS		2b
		665	45/20/OPC+PFA	UR-40B		2b

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Universal Readymix Concrete - Sanad	3369	666	45/20/OPC+PFA +MS	UR-40D1	ISO 9001:2015	2b
		667	55/20/OPC+PFA +MS	UR-45D		2b
		668	50/20/OPC+PFA +MS	UR-42D		2b
		676	30/20/OPC+PFA +MS	UR-33D/M11		2b
		677	40/20/OPC+PFA +MS	UR-38D/M12		2b
		699	20/20SRC	UR-20E/M13		2b
		726	50/20/OPC+PFA +MS	UR-50D/M14		2b
Universal Readymix Concrete – North Alba	3457	325	35/20/OPC	M35O20-M	ISO 9001:2015	2b
		326	45/20/SRC	45 S 20-M		2b
		538	45/20/OPC	45 O 20		2b
		561	20/10/OPC	20 O Screed		2b
		654	45/20/SRC+PFA +MS	45/20/SRFAMS		2b
		665	45/20/OPC+PFA	UR-40B		2b
		666	45/20/OPC+PFA +MS	UR-40D1		2b
		667	55/20/OPC+PFA +MS	UR-45D		2b
		668	50/20/OPC+PFA +MS	UR-42D		2b
		676	30/20/OPC+PFA +MS	UR-33D/M11		2b
		677	40/20/OPC+PFA +MS	UR-38D/M12		2b

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

Universal Readymix Concrete – North Alba	3457	699	20/20SRC	UR-20E/M13	ISO 9001:2015	2b
		726	50/20/OPC+PFA +MS	UR-50D/M14		2b
REDX Industries - Hafeera	3385	335	25/20/SRC	RX-25-20-SRC	ISO 9001:2015, ISO 14001:2015, & ISO 45001:2018	1
		336	30/20/SRC	RX-30-20-SRC		1
		337	35/20/SRC	RX-35-20-SRC		1
		338	40/20/OPC	RX-40-20-OPC		1
		339	45/20/SRC + MS	RX-45-20-SRC+MS		1
		340	50/20/OPC	RX-50-20-OPC		1
		341	20/20/SRC	RX-20-20-SRC		1
		342	30/20/OPC	RX-30-20-OPC		1
		343	40/20/SRC	RX-40-20-SRC		1
		344	45/20/OPC	RX-45-20-OPC		1
		398	20/20/SRC	RXF 20 20N SRC		1
		399	35/20/OPC	RXF 20 35N OPC		1
		400	45/20/SRC	RXF 20 45N SRC		1
		401	20/20/SRC	RXU 20 20N SRC		1
		402	35/20/OPC	RXU 20 35N OPC		1



MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

REDX Industries - Hafeera	3385	403	45/20/SRC	RXU 20 45N SRC	ISO 9001:2015, ISO 14001:2015, & ISO 45001:2018	1
		465	60/20/OPC	RXC 20 60N OPC		1
		466	45/20/OPC+PFA	RXC 20 45N OPF		1
		470	20/10/SRC	RXC 10 20N SRC SCR		1
		510	45/20/OPC	RXS 20 45N OPCPTS		1
		512	45/20/SRC	RXS 20 45N SRCFPC		1
		618	C50/20/OPC+ PFA+MS	RXF 50 N OPC+PFA+MS		1
		619	C40/20/OPC+ PFA+MS	RXF 40N OPC+PFA+MS		1
		643	C45/20/OPC+ PFA+MS	RXF 45N OPC+PFA+MS		1
		662	C20/20/OPC	RXF20 20 N OPC		1
		663	C50/20/SRC	RXF20 50 N SRC		1
		664	C60/20/SRC	RXF20 60 N SRC		1
		671	C35/10/OPC	RXF10 35 N OPC SCRCD		1
		672	C65/20/ SRC+MS	RXF 65 N SRC+MS		1
		673	C65/20/ OPC+MS	RXF 65 N OPC+MS		1
		680	C55/20 SRC	RXF 20 55 N SRC		1
681	C25/10 SRC - Screed	RXF 10 25 N SRC SCRCD	1			

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

REDX Industries - Hafeera	3385	707	C45/10 SRC Srcd	RXF 10 45N SRC SCRCD	ISO 9001:2015, ISO 14001:2015, & ISO 45001:2018	1
		709	C45/10/OPC +PFA, S.C.C	RXF 10 45 OPC PFA SCC		1
		710	C55/20/OPC	RXF 20 55 OPC		1
		712	C5 SRC, F.C	RXF 5 5N SRC F.C		1
		714	C25/20/OPC	RXF 20 25N OPC		1
		715	C20/10/OPC	RXF10 20N OPC		1
		728	20/20/OPC+ PFA, Piling	C 20 N OPC+PFA		1
		730	10 N/ mm ² - Mortar Mix	RXF 10N OPC C:S/1:2		1
REDX Industries - Hidd	3386	335	25/20/SRC	RX-25-20-SRC	ISO 9001:2015, ISO 14001:2015, & ISO 45001:2018	1
		336	30/20/SRC	RX-30-20-SRC		1
		337	35/20/SRC	RX-35-20-SRC		1
		338	40/20/OPC	RX-40-20-OPC		1
		339	45/20/SRC + MS	RX-45-20- SRC+MS		1
		340	50/20/OPC	RX-50-20-OPC		1
		341	20/20/SRC	RX-20-20-SRC		1
		342	30/20/OPC	RX-30-20-OPC		1
		343	40/20/SRC	RX-40-20-SRC		1



MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

REDX Industries - Hidd	3386	344	45/20/OPC	RX-45-20-OPC	ISO 9001:2015, ISO 14001:2015, &	1
		398	20/20/SRC	RXF 20 20N SRC		1
		399	35/20/OPC	RXF 20 35N OPC		1
		400	45/20/SRC	RXF 20 45N SRC		1
		401	20/20/SRC	RXU 20 20N SRC		1
		402	35/20/OPC	RXU 20 35N OPC		1
		403	45/20/SRC	RXU 20 45N SRC		1
		465	60/20/OPC	RXC 20 60N OPC		1
		466	45/20/OPC+PFA	RXC 20 45N OPF		1
		470	20/10/SRC	RXC 10 20N SRC SCR		1
		510	45/20/OPC	RXS 20 45N OPCPTS		1
		512	45/20/SRC	RXS 20 45N SRCFPC		1
		618	C50/20/OPC+ PFA+MS	RXF 50 N OPC+PFA+MS		1
		619	C40/20/OPC+ PFA+MS	RXF 40N OPC+PFA+MS		1
		643	C45/20/OPC+ PFA+MS	RXF 45N OPC+PFA+MS		1
		662	C20/20/OPC	RXF20 20 N OPC		1
663	C50/20/SRC	RXF20 50 N SRC	1			

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

REDX Industries - Hidd	3386	664	C60/20SRC	RXF20 60 N SRC	ISO 9001:2015, ISO 14001:2015, & ISO 45001:2018	1
		671	C35/10/OPC	RXF10 35 N OPC SCRCD		1
		672	C65/20/ SRC+MS	RXF 65 N SRC+MS		1
		673	C65/20/ OPC+MS	RXF 65 N OPC+MS		1
		680	C55/20 SRC	RXF 20 55 N SRC		1
		681	C25/10 SRC - Screed	RXF 10 25 N SRC SCRCD		1
		707	C45/10 SRC Srcd	RXF 10 45N SRC SCRCD		1
		709	C45/10/OPC +PFA, S.C.C	RXF 10 45 OPC PFA SCC		1
		710	C55/20/OPC	RXF 20 55 OPC		1
		712	C5 SRC, F.C	RXF 5 5N SRC F.C		1
		714	C25/20/OPC	RXF 20 25N OPC		1
		715	C20/10/OPC	RXF10 20N OPC		1
		728	20/20/OPC+ PFA, Piling	C 20 N OPC+PFA		1
		730	10 N/ mm ² - Mortar Mix	RXF 10N OPC C:S/1:2		1

Status Code Definitions

1	Based on all available information this mix is currently in compliance with the Specification
2a	Temporary suspension - compliance certificate expired
2b	Temporary suspension - materials problem of anticipated short-term duration
3	Compliance certificate withdrawn

MATERIALS ENGINEERING DIRECTORATE

STATUS SUMMARY
READY MIXED CONCRETE SUPPLIERS
1st June 2022

<i>Note 1) & 3)</i> 45/20/SRC & 45/20/OPC+PFA	<i>Note 2)</i> 35/20/OPC
45 - Strength grade of concrete mix, N/mm ² ;	35 - Strength grade of concrete mix, N/mm ² ;
20 - Nominal maximum size of Aggregates, mm;	20 - Nominal maximum size of Aggregates, mm;
SRC - Type of cement, e.g. Sulphate Resisting cement ;	OPC - Type of cement, e.g. Ordinary Portland cement.
OPC + PFA - Combination of Ordinary Portland cement and Pulverized Fuel Ash.	MS - Micro Silica
OPC+PFA+MS - Combination of Ordinary Portland cement Pulverized Fuel Ash and micro silica	

Notes: This status summary is valid for one month unless otherwise revision is issued at any day during the month due to failure of the suppliers to maintain quality of the products in the list.

Should there be any queries please contact the Building Materials Testing Laboratory of Materials Engineering Directorate by telephone at 17812474 or by facsimile to 17812419.